

## Product Change Notice (PCN)

**Date:** 7/7/2020

**PCN Number:** PCN-0451152R-01





**To Our Customers:**

We appreciate your use of CUI Devices products. Our commitment in maintaining and improving processes is demonstrated by plans to enhance our product quality, reliability and manufacturability. The purpose of this notice is to inform you of a product change.







**Product(s) Affected:** PJ-038A, PJ-038B, PJ-038AH, PJ-038BH

**Reason(s) for Change:** Existing metal and plastic molds need to be updated to maintain efficient production.





**Description of Change:** Thickness of pin 2 changed from 0.2mm to 0.25mm. Aesthetic changes as shown in below comparisons:

	Current version	New version
Outlook		
Front	<p>without chamfer</p> 	<p>with chamfer</p> 

# CUI DEVICES

<p>Back</p>	<p>cave marking location</p>  <p>cave marking location</p>	<p>cave marking location cave marking location</p> 
<p>Top</p>	<p>without injection mark</p>  <p>thickness of pin#2 is 0.2mm</p>	<p>with injection mark</p>  <p>thickness of pin#2 is 0.25mm</p>
<p>Bottom</p>	<p>rough surface with injection mark</p> 	<p>smooth surface with injection mark</p> 

# CUI DEVICES

Right	<p>rough surface</p>  <p>A photograph of a black cylindrical component with a metal tab on the right. A red dashed circle highlights the surface of the tab, which appears rough and textured. A red arrow points from the text 'rough surface' to this area.</p>	<p>smooth surface</p>  <p>A photograph of the same component as in the previous image. A red dashed circle highlights the surface of the tab, which appears smooth and uniform. A red arrow points from the text 'smooth surface' to this area.</p>
Left	<p>rough surface</p>  <p>A photograph of the component from a left-side perspective. A red dashed circle highlights the surface of the metal tab, which appears rough and textured. A red arrow points from the text 'rough surface' to this area.</p>	<p>smooth surface</p>  <p>A photograph of the component from a left-side perspective. A red dashed circle highlights the surface of the metal tab, which appears smooth and uniform. A red arrow points from the text 'smooth surface' to this area.</p>

**Affected Date Code:** October 1<sup>st</sup>, 2020

**Product Availability:** currently available

**Additional Information:** none

PCN Approval:

Operations/Quality

*Rae O'Brien*

Product Marketing

*RH*